

WE CLAIM AS OUR INVENTION:

Sub B3

1. A rectifier, comprising:  
a reference primary circuit;  
a transformer having a primary side connected to said reference primary circuit and  
having a secondary side;  
first and second rectifiers in synchronous connection at said secondary side, said  
first and second rectifiers each having at least three leads, one of said three  
leads being a control lead; and  
first and second clamping transistors, said first clamping transistor being connected  
between said control lead of said first rectifier and said secondary side, said  
second clamping transistor being connected between said control lead of said  
second rectifier and said secondary side.

2. A rectifier as claimed in claim 1, wherein said secondary of said  
transformer has first and second leads, said first rectifier having first and second  
leads connected in series to said first lead of said secondary and said control lead  
connected to said second lead of said secondary, said second rectifier having first  
and second leads across said first and second leads of said secondary and said  
control lead connected to said first lead of said secondary.

Sub C3

3. A rectifier as claimed in claim 1, wherein said first and second rectifiers  
and said first and second clamping transistors are field effect transistors.

<sup>13</sup>  
4. A rectifier as claimed in claim 1, further comprising:  
a fixed voltage connected to control leads of said first and second clamping  
transistors.

Sub  
B4  
5. A rectifier as claimed in claim 1, further comprising:  
an output of said rectifier;  
a first filter element connected between said first rectifier and said output; and  
a second filter element connected between said output and ground.

gb  
77  
6. A rectifier as claimed in claim 5, wherein said first filter element includes  
an inductance and said second filter element includes a capacitance.

7. A rectifier as claimed in claim 5, further comprising:  
a third filter element connected between said second rectifier and ground.

8. A rectifier as claimed in claim 7, wherein said first and third filter elements  
include an inductance.

9. A rectifier as claimed in claim 1, wherein said transformer is connected  
with its windings at a same polarity.

10. A rectifier as claimed in claim 1, wherein said transformer is connected  
with its windings at opposite polarity.

Sub  
B5

11. A self-driven synchronous rectifier, comprising:  
a transformer having a primary and seconding winding;  
an input for an input voltage connected to said primary winding;  
a pair of rectifiers connected in a synchronous connection, said first rectifier  
including a source drain connection in series with a first lead of said  
secondary winding and a gate connected to a second lead of said secondary  
winding;  
a second rectifier having a source and drain leads connected across said first and  
second leads of said secondary winding and a gate connected to said second  
lead of said secondary winding;  
a first transistor connected between said gate of said first rectifier and said second  
lead of said secondary winding;  
a second transistor connected between said gate of said second rectifier and said  
first lead of said secondary winding; and  
a voltage source connected to gates of said first and second transistors.

12. A synchronous rectifier as claimed in claim 11, further comprising:  
a filter connected across said secondary winding of said transformer.

13. A synchronous rectifier as claimed in Claim 11, further comprising:  
a resonate snubber connected across said primary winding of said transformer, said  
resonate snubber including a filter.

Pl  
cont

14. A synchronous rectifier as claimed in Claim 11, further comprising:  
a switch connected at said primary winding of said transformer.

Sub  
cont

15. A synchronous rectifier as claimed in Claim 11, wherein said first and  
second transistors are field effect transistors.

Acc 17

09768504-012501